88	\$7	95	SS	S4	ಏ	S2	# Ref
		<u> </u>			,		
4191	375520	20744	4374149	44860	28	4	Hits
S6 and S7	(digital adj2 analog\$3) or (D adj2 A) or ("D/A")	S4 and S5	memory or rom or ram or database or (data adj base) or storage or SRAM or server	(@rlad<"20020617" or @ad<"20020617" or @ptad<"20020617") and (((electron\$6 or auto or automat\$6 or self) near2 (select\$5 or tun\$4 or adjust\$5 or compensat\$4 or offset\$4 or (off adj set\$4) or calibrat\$5 or align\$6)) with (filt\$6 or rece\$7 or tun\$4))	("3990027" "4122395" "4130804" "4270220").PN. OR ("4334323"). URPN.	"4334323".pn.	Search Query
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	DBs
Q _R	Q.	Q _R	<u></u>	Q.	Q _R	O _R	Default Operator
N _O	9	S _N	. O	O _N	O _N	ON	Plurals
2006/07/10 13:27	2006/07/10 13:49	2006/07/10 13:23	2006/07/10 14:16	2006/10/27 15:13	2006/06/28 14:39	2006/07/11 09:05	Time Stamp

S15	S14	S13	S12	S11	S10	65
510	2105	1838462	53701	146277	2606	2662
S12 and S14	S10 and S13	(record\$4 or stor\$4 or keep\$6 or maintain\$4 or sav\$4 or enter\$4 or regist\$4 or memorial\$5) near6 (memory or rom or ram or database or (data adj base) or storage or SRAM or server)	(identif\$6 or ID or label\$4 or symbol\$4 or barcode or (bar adj code) or ((model or item or serial) adj (number or code)) or UPC or ISBN or address or IP or name or token) near5 (filt\$5 or tun\$4)	((digital adj2 analog\$3) or (D adj2 A) or ("D/A")) adj2 convert\$4	S9 and rece\$7	S8 and filt\$4
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
Q _R	O _R	O _R	Q _R	O _R	Q _R	OR
O _Z	Q	Q.	Q	Q	. 0	O _N
2006/07/10 13:53	2006/07/10 13:53	2006/07/10 13:52	2006/07/10 14:10	2006/07/10 13:50	2006/07/10 13:28	2006/07/10 13:28

S22	S21	S20	S19	S18	S17	S16
31	166209	4	26404	257	670048	352
S20 and S21	(select\$5 or tun\$4 or adjust\$5 or compensat\$4 or offset\$4 or (off adj set\$4) or calibrat\$5 or align\$6) near3 (filt\$6)	S18 and S19	((electron\$6 or auto or automat\$6 or self) near2 (select\$5 or tun\$4 or adjust\$5 or compensat\$4 or offset\$4 or (off adj set\$4) or calibrat\$5 or align\$6)) with (memory or rom or ram or database or (data adj base) or storage or SRAM or server)	S16 and S17	(identif\$6 or ID or label\$4 or symbol\$4 or barcode or (bar adj code) or ((model or item or serial) adj (number or code)) or UPC or ISBN or address or IP or name or token) with (memory or rom or ram or database or (data adj base) or storage or SRAM or server)	S11 and S15
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
OR	Q _R	O _R	O _R	O _R	O _R	OR
Q Q	S S	ON.	. O	ON	Q	ON
2006/07/10 14:28	2006/07/10 16:30	2006/07/10 14:18	2006/07/10 14:17	2006/07/10 14:12	2006/07/10 14:10	2006/07/10 13:53

S25	S24	S23
165	222	30
S24 and (@rlad<"20020617" or @ad<"20020617" or @ptad<"20020617")	(((barcode or (bar adj code)) near3 (identif\$4)).ti. or ((barcode or (bar adj code)) near3 (identif\$4)).ab.) and match\$3	S22 and (@rlad<"20020527" or @ad<"20020527" or @ptad<"20020527")
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
O _R	S	Q _R
Q Q	ON N	ON.
2006/10/27 17:09	2006/10/27 17:09	2006/07/10 14:39